



## HDB's Materials List

About Us >

### Suppliers

Suppliers >

Brand KemPress

Product >

Model KemPress K, 15, 22 & 28mm

Performance  
Requirement

Listed Date 2016-07-07

Expiry Date 2019-08-31

Materials List >  
Application

Company H. ROGERS TRADING (SINGAPORE) PTE LTD

Telephone 67750727  
No.

Email hrogers@singnet.com.sg

Website

Back



# TEST CERTIFICATE

This certificate is a summary of the test and test reports as stated below:

**H. ROGERS TRADING (S) PTE LTD**  
 51 Goldhill Plaza  
 #08-10  
 Singapore 308900

Attn: Mr. Sunny

**FOR**

**Brand : KemPress K**

**Test Standard : BS EN 1254-2:1998, AS 3688-2005, AS/NZS 4020:2005, SS 375:2001, SS 270:1996**

**Product Type : Copper Press Fit Fitting**

**Date Submitted : 19 Oct 2012, 04 Jan 2013, 19 Oct 2012**

Product	Test	Leaktightness under internal hydrostatic pressure	Resistance to pull out	Leaktightness under internal hydrostatic pressure subjected to bending	Stress corrosion resistance test	Determination of mean depth of dezincification	Strength of joint assembly- pressure cycling test	Resistance to pull out of assemble joints	Method of determining compatibility of fitting with pipe	Toxicity	Metal extraction	Elastomeric seal	DZR test
	Instruction												
Copper Press-Coupling Type: End Cap Size: 15, 22, 28	If done, Pass/Fail	Pass See MM-30609/1-4/TCL	-	-	-	NA	-	-	-	-	-	-	NA
	If not done, reference	-	Pass See MM-30609/1-4/TCL	Pass See MM-30609/1-5/TCL	Pass See MM-30609/1-1/NKG	NA	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	Pass See MM-30609/3/T	Pass See 94102	Pass See MM-30609/1-2/CY	NA
	If not done, no reference	-	-	-	-	NA	-	-	-	-	-	-	NA
Copper Press-Coupling Type: Equal Tee Size: 15, 22, 28	If done, Pass/Fail	Pass See MM-30609/1-4/TCL	-	-	-	NA	-	-	-	-	-	-	NA
	If not done, reference	-	Pass See MM-30609/1-4/TCL	Pass See MM-30609/1-5/TCL	Pass See MM-30609/1-1/NKG	NA	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	Pass See MM-30609/3/T	Pass See 94102	Pass See MM-30609/1-2/CY	NA
	If not done, no reference	-	-	-	-	NA	-	-	-	-	-	-	NA

Terms and Conditions:  
 This certificate will cease to be valid upon change in material or manufacturing process(es)



Product	Test	Leaktightness under internal hydrostatic pressure	Resistance to pull out	Leaktightness under internal hydrostatic pressure subjected to bending	Stress corrosion resistance test	Determination of mean depth of dezincification	Strength of joint assembly- pressure cycling test	Resistance to pull out of assemble joints	Method of determining compatibility of fitting with pipe	Toxicity	Metal extraction	Elastomeric seal	DZR test
	Instruction												
Copper Press-Coupling Type: 90° Elbow Size: 15, 22, 28	If done, Pass/Fail	Pass See MM-30609/1-4/TCL	-	-	-	NA	-	-	-	-	-	-	NA
	If not done, reference	-	Pass See MM-30609/1-4/TCL	Pass See MM-30609/1-5/TCL	Pass See MM-30609/1-1/NKG	NA	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	Pass See MM-30609/3/T	Pass See 94102	Pass See MM-30609/1-2/CY	NA
	If not done, no reference	-	-	-	-	NA	-	-	-	-	-	-	-
Copper Press-Coupling Type: Connector Size: 15, 22, 28	If done, Pass/Fail	Pass See MM-30609/1-4/TCL	Pass See MM-30609/1-4/TCL	Pass See MM-30609/1-5/TCL	-	NA	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	Pass See MM-30609/1-3/TCL	-	-	-	NA
	If not done, reference	-	-	-	Pass See MM-30609/1-1/NKG	NA	-	-	-	Pass See MM-30609/3/T	Pass See 94102	Pass See MM-30609/1-2/CY	NA
	If not done, no reference	-	-	-	-	NA	-	-	-	-	-	-	NA

YUSOOF AYNUDDIN  
Divisional Director  
Mechanical Technology Division