

CLASS 1

## **Building Product Information Sheet**

Product name:	
SPK Brass Fittings Range	
Product line (the product	ct line from which the product is customised):
Crox fittings, Nipple fit	tings, Brazing fittings, Male thread fittings, M/F thread fittings, Female thread fittings
Product description a	nd its intended use (measurements, materials, usage):
_	ange is manufactured in accordance with AS 3688 and DZR AS 2345 and meets the requirements of AS/NZS act with drinking water.
Available size range de	pendent on fittings is 15mm up to 50mm.
Chrome plated fittings	also available www.mmbrands.co.nz – SPK for additional information.
The SPK Brass range is s	uitable for use in plumbing and gas applications.
Product identifier (if a)	oplicable):
Fittings – SPK + DR / (W	aterMark + standard + Licence number - additional markings)
Place of manufacture:	Aotearoa New Zealand ✓ Overseas
Legal and trading nam	ne of the manufacturer(s):
Manufactured under li	cence by Jiangxin Refrigeration Systems Co Ltd on behalf of MM Brands Ltd for SPK
Legal and trading nam	e of the importer (if applicable):
MM Brands Ltd	
Address for service:	
STREET NAME 263 Ti Rakau Drive SUBURB Burswood	
CITY, COUNTRY Auckland	NZ POSTCODE 2013
Website:	www.mmbrands.co.nz
Email address:	sales@mmbrands.co.nz
Phone No. (if applicable):	09 2740111
NZBN (if applicable):	9429040718897



Relevant Building	Code	clauses:
-------------------	------	----------

Durability B2.3.1(a) Hazardous Building Materials F2.3.1
Water supplies G12.2
Statement on how the building product is expected to contribute to compliance:
Durability B2.3.1(a)
The SPK Brass range has a design life of over 50 years when installed in accordance with the relevant installation standards which meets requirements B2.3.1(a)
Hazardous Building Materials F2.3.1
The SPK Brass range does not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space as per requirement F2.3.1
Water Supplies G12.2
The SPK Brass range meets the requirements of AS/NZS 4020 potable water standards and has components that wouldn't contaminate the water as per requirement G12.2.1. and is durable and fit for purpose as per requirement G12.2.2 and G12/VM1

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:
As defined in the scope of the installation standards G12 and AS/NZS 3500
Guidance of application limitations is also available at: www.mmbrands.com
Design requirements that would support the use of the building product:
Durability and Proven Performance.
As defined in the scope of the installation standards G12 and AS/NZS 3500
Guidance of application limitations is also available at: www.mmbrands.com
Installation requirements:
Installation shall be performed by licenced and competent installers.

Maintenance requirements:		
The SPK Brass range requires no ongoing maintenance post commissioning.		
Is the building product/building product line subject to warning or ban under section 26?: No		
If yes, description of the warning or ban under section 26:  Date: 11 December 2023		

4