

CLASS 1

Building Product Information Sheet

Product name:

SPK Hose Tap Range

Product line *(the product line from which the product is customised)*:

Hose Tap male connection, Hose Tap female connection, Hose Tap lockshield, Hose Tap chrome

Product description and its intended use *(measurements, materials, usage)*:

The SPK hose tap range is available in sizes 15mm and 20mm(male connection only) Lock shield and chrome finish options are also available in 15mm.
The SPK hose tap range is intended for external watering use.

Further information refer to www.mmbrands.co.nz

Product identifier *(if applicable)*:

Male hose tap BHTM 15 AND 20; Female hose tap BHTF 15 and 20; Lockshield BHTMLK 15; Chrome Hose Tap HTF15CP/HTM15CP

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Manufactured under licence by Jiangxin Refrigeration Systems Co Ltd on behalf of MM Brands Ltd for SPK

Legal and trading name of the importer *(if applicable)*:

MM Brands Ltd

Address for service:

STREET NAME 263 Ti Rakau Drive

SUBURB Burswood

CITY, COUNTRY Auckland NZ

POSTCODE 2013

Website:

www.mmbrands.co.nz

Email address:

sales@mmbrands.co.nz

Phone No. *(if applicable)*:

09 2740111

NZBN *(if applicable)*:

9429040718897

Relevant Building Code clauses:

Durability B2.3.1(b)
 Hazardous Building Materials F2.3.1
 Water supplies G12.2.2.2

Statement on how the building product is expected to contribute to compliance:

Durability B2.3.1(c)
 The SPK hose tap range meets the 15 year performance requirement.

Hazardous Building Materials F2.3.1
 The SPK hose tap range does not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space as per requirement F2.3.1

Water Supplies G12.2
 The SPK hose tap range meets the requirements as per G12/AS1 2.2.2

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

As defined in the scope of the installation standards G12 and AS/NZS 3500
Guidance of application limitations is also available at: www.mmbrands.com

Design requirements that would support the use of the building product:

Durability and Proven Performance.
As defined in the scope of the installation standards G12 and AS/NZS 3500
Guidance of design requirements is also available at: www.mmbrands.com

Installation requirements:

Installation shall be performed by licenced and competent installers.

Maintenance requirements:

The SPK hose tap range requires no ongoing maintenance post commissioning.

Is the building product/building product line subject to warning or ban under section 26?: No

If yes, description of the warning or ban under section 26:

Date: 11 December 2023