

CLASS 1

Building Product Information Sheet

Product name:

SPK Pipe Clips and Pipe Supports Range

Product line *(the product line from which the product is customised):*

Pex Clips, Copper Clips, Munzing Rings, Saddle Clips, Holderbats, Base Plates

Product description and its intended use *(measurements, materials, usage):*

The SPK pipe clips and pipe supports range include clips for Pex, copper, and PVC piping systems. Available size range is from 16mm up to 150mm.

For further information refer to: www.mbrands.co.nz

The SPK pipe clips and pipe supports are intended for use to support plumbing, gas and above drainage piping systems.

Product identifier *(if applicable):*

RCP – Pex clips; CCLIPS – Copper Clips; PCLIPS – Rifeng Clips; MR – Munzing Rings; GSD – Galv Saddle; CS – Copper Saddle; MRA/MRB Hoderbats; MRBBP/MRGBP/SSBase/GalvBase – Base Plates

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Manufactured under licence by Supa Piping Co.Ltd/WA Engineering/Jiangxin Refrigeration Co Ltd/Huaer Valve Co Ltd for SPK

Legal and trading name of the importer *(if applicable):*

MM Brands Ltd

Address for service:

STREET NAME 263 Ti Rakau Drive

SUBURB Burswood

CITY, COUNTRY Auckland NZ

POSTCODE 2013

Website:

www.mbrands.co.nz

Email address:

sales@mbrands.co.nzPhone No. *(if applicable):*

09 2740111

NZBN *(if applicable):*

9429040718897

Relevant Building Code clauses:

Durability B2.3.1(a)(i)
Hazardous Building Materials F2.3.1
Water supplies G12/AS1 7.1

Statement on how the building product is expected to contribute to compliance:

Durability B2.3.1(c)(i)
The SPK pipe clips and pipe supports range meets the 50 year performance requirements of B2.3.1(a)(i)

Hazardous Building Materials F2.3.1
The SPK pipe clips and pipe supports range does not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space as per requirement F2.3.1

Water Supplies G12/AS1 7.1
The SPK pipe clips and pipe supports range is manufactured from materials that are compatible with piping systems as outlined in the performance requirements G12/AS1 7.1

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical building product or building product used.

Limitations on the use of the building product:

Further information on application limitations refer to: mmbrands.co.nz

Design requirements that would support the use of the building product:

Durability and Proven Performance.

As defined in the scope of the installation standards G12, and AS/NZS 3500.

Installation requirements:

Installation shall be performed by licenced and competent installers.

As defined in the scope of the installation standards G12, AS/NZS 3500, and AS/NZS 5601

Maintenance requirements:

The SPK pipe clips and pipe supports range requires no ongoing maintenance post commissioning.

Is the building product/building product line subject to warning or ban under section 26?: No

If yes, description of the warning or ban under section 26:

Date: 11 December 2023