

CLASS 1

Building Product Information Sheet

| Product name: | |
|--|--|
| SPK Slide Shower Range | |
| Product line (the produ | ct line from which the product is customised): |
| Trade Line V226 | |
| Product description and its intended use (measurements, materials, usage): | |
| | Trade Line range consists of complete sets and accessories – Trade Line shower heads, Trade Line accessories e sliders, and slide shower flexihoses Low/Pressure and High/Pressure. retrofit applications. |
| Refer to: <u>www.mmbra</u> | nds.co.nz for further information. |
| Product identifier (if a, | oplicable): |
| Trade Line | |
| Place of manufacture: | Aotearoa New Zealand 🗸 Overseas |
| Legal and trading name of the manufacturer(s): | |
| Manufactured under l | icence by Supa Piping Co. Ltd on behalf of MM Brands Ltd for SPK |
| Legal and trading name of the importer (if applicable): | |
| MM Brands Ltd | |
| Address for service: | |
| STREET NAME 263 TI Ra | kau Drive SUBURB Burswood |
| CITY, COUNTRY Auckland NZ POSTCODE 2013 | |
| Website: | www.mmbrands.co.nz |
| Email address: | sales@mmbrands.co.nz |
| Phone No. (if applicable): | 09 2740111 |
| NZBN (if applicable): | 9429040718897 |





MINISTRY OF BUSINESS, INNOVATION & EMPLOYMENT HĪKINA WHAKATUTUKI

Te Kāwanatanga o Aotearoa New Zealand Government

Relevant Building Code clauses:

Durability B2.3.1(c)(i) Hazardous Building Materials F2.3.1 Water supplies G12/AS1 5.4.1(a)

Statement on how the building product is expected to contribute to compliance:

Durability B2.3.1(c)(i)

The SPK Slide shower range meets the 5 year performance requirements B2.3.1(c)(i)

Hazardous Building Materials F2.3.1

The SPK Slide shower range does not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space as per requirement F2.3.1

Water Supplies G12/AS1 5.4.1(a)

The SPK Slide shower range has flow device options available to meet the required flow rates as outlined in G12/AS1 5.4.1(a)

• standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured

[•] options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)

[:] þbysitæl þcólalentjærað úblei binitlender að dæt used.

Limitations on the use of the building product:

Further information on application limitations refer to: mmbrands.co.nz

Design requirements that would support the use of the building product:

Durability and Proven Performance.

As defined in the scope of the installation standards G12, and AS/NZS 3500

Installation requirements:

Installation shall be performed by competent installers.

Maintenance requirements:

The SPK Slide shower range requires no ongoing maintenance post commissioning.

Is the building product/building product line subject to warning or ban under section 26?: No

If yes, description of the warning or ban under section 26:

Date: 11 December 2023